10531552 - GAL

Application No.: 10/531,552

	ATTY DOCKET NO. 9516-075-999	APPLICATION NO 10/531,552
(Use several sheets if necessary)	APPLICANT Zeldis	
JUN 1 5 2007 8	FILING DATE	GROUP

EXAMINER		1	T	1			FILING DATE
INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	IF APPROPRIATE
T.B./	A01	2001/0056114	12/27/01	D'Amato			
	A02	2002/0035090	3/21/02	Zeldis et al.			
	A03	2002/0052398	5/2/02	D'Amato			
	A04	2002/0054899	5/9/02	Zeldis			
	A05	2002/0061923	5/23/02	D'Amato			
	A06	2002/0161023	10/31/02	D'Amato			
	A07	2002/0173658	11/21/02	Muller et al.			
	A08	2002/0183360	12/5/02	Muller et al.			
	A09	2003/0028028	2/6/03	Man et al.			
	A10	2003/0045726	3/6/03	Muller			
	All	2003/0069428	4/10/03	Muller et al.			
	Al2	2003/0139451	7/24/03	Shah et al.			
	A13	2003/0144325	7/31/03	Muller et al.			
$\neg$	A14	2003/0181428	9/25/03	Green et al.			
	A15	2003/0187024	10/2/03	D'Amato			
-	A16	2003/0187052	10/2/03	Muller et al.			
	AI7	2003/0191098	10/9/03	D'Amato			
	A18	2003/0235909	12/25/03	Hariri et al.			
$\neg$	A19	2004/0019106	1/29/04	Muller et al.			
$\neg$	A20	2004/0029832	2/12/04	Zeldis			
_	A21	2004/0006096	1/8/04	Muller et al.		<b></b>	
	A22	2004/0077685	4/22/04	Figg et al.		<b>†</b>	
_	A23	2004/0077686	4/22/04	Dannenberg et al.			
	A24	2004/0087546	5/6/04	Zeldis			
	A25	2004/0091455	5/13/04	Zeldis		<b></b>	
_	A26	2004/0122052	6/24/04	Muller et al.			
	A27	2004/0147588	7/29/04	Man et al.		1	
_	A29	2004/0167199	8/26/04	Muller et al.		1	
-	A29	2004/0167174	8/26/04	Man et al.		<b></b>	
_	A30	2004/0259873	12/23/04	Man et al.		l	
_	A31	2005/0014727	1/20/05	Muller et al.			
-	A32	2003/0114516	6/19/03	Muller et al.		<b> </b>	
+	A34	2006/0084815	4/20/06	Muller et al.		l	
_	A34	2006/0025457	2/2/06	Muller et al.			
+-	A35	6,844,359	1/18/05	Muller		1	-
11/	A36	6.699.899	3/2/04	Man et al.			

NYI-3874760v1 ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /T.B./

10531552 - GAU: 1617

Application No.: 10/531,552 A37 6,673,828 1/6/04 Green et al. /T.B./ A38 6,667,316 12/23/04 Man et al. A39 6,656,964 12/2/03 Muller et al. 6,518,298 A40 2/11/03 Green et al 6,518,281 2/11/03 Muller et al. A41 6,479,554 11/12/02 Muller et al. A42 10/22/02 Δ43 6,469,045 D'Amato A44 6,429,221 8/6/02 Muller et al. A45 6,420,414 7/16/02 D'Amato A46 6.326.388 12/4/01 Man et al. 9/4/01 A47 6,284,780 Muller et al. A48 6,262,101 7/17/01 Muller et al. 6,228,879 Green et al. A49 5/8/01 A50 6.225.348 5/1/01 Paulson ASI 6 218 369 4/17/01 Rombardelli et al A52 6.214.857 4/10/01 Muller et al. A53 6,200,987 3/13/01 Muller A54 6,180,644 1/30/01 Muller et al. A55 6.130.226 10/10/00 Muller et al. 6,075,041 6/13/00 A56 Muller 6.046.221 4/4/00 Muller et al. A57 6.020.358 A58 1/4/00 Muller et al. 6.015.803 1/18/00 Wirostko A60 6,011,050 1/4/00 Muller et al. A61 6.001,368 12/14/99 Jenks A62 5,968,945 10/19/99 Muller et al 5,929,117 7/27/99 Muller et al. A63 A63 5.877,200 3/2/99 Muller A68 5,801,195 9/1/98 Muller et al. A68 5,770,589 6/23/98 Billson 5,736,570 A67 4/7/98 Muller A68 5,733,566 3/31/98 Lewis A62 5,728,845 3/17/98 Muller A70 5.728.844 3/17/98 Muller A71 5.712.291 3/17/98 D'Amato 5.703.098 A72 12/30/97 Muller A73 5.698.579 12/16/97 Muller A74 5,674,533 10/7/97 Santus et al. A75 5,658,940 8/19/97 Muller et al. A70 5,643,915 7/1/97 Andrulis et al. A77 5,639,476 6/17/97 Oshlack et al. A78 5,632,984 5/27/97 Wong et al. 5 605 914 2/25/97 A79 Muller A80 5,591,767 1/7/97 Mohr et al. 5.580.755 12/3/96 Souza

					Application	No.: 10/531,552
/T.B./	A82	5,528,823	6/25/96	Rudy et al.		
	A83	5,463,063	10/31/95	Muller		
$\neg \vdash$	Ą84	5,393,870	2/28/95	Deeley et al.		
	A85	5,391,485	2/21/95	Deeley et al.		
	A86	5,385,901	1/31/95	Kaplan et al.		
	A87	5,354,556	10/11/94	Sparks et al.		
	A88	5,288,487	2/22/94	Kawashima et al.		
	A89	5,229,496	7/20/93	Deeley et al.		
	A90	5,134,127	7/28/92	Stella et al.		
	A91	5,120,548	6/9/92	McClelland et al.		
	A92	5,073,543	12/17/91	Marshall et al.		
	A93	5,059,595	10/22/91	LeGrazie		
	A94	4,999,291	3/12/91	Souza		
	A95	4,810,643	3/7/89	Souza		
	A96	4,008,719	2/22/77	Theeuwes et al.		
	A97	3,916,899	11/4/75	Theeuwes et al.		
	A98	3,845,770	11/5/74	Theeuwes et al.		
	A99	3,598,123	8/10/71	Zaffaroni		
	A100	3,536,809	10/27/70	Applezweig		
	A101	7,173,058	2/6/07	Muller et al.		
	A102	6,962,940	11/8/05	Muller et al.		
	- 1	6,911,464	6/28/05	Man et al.		
V	A104	7,034,052	4/25/06	Muller et al.		

	FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
							YES	NO
/T.B./	B01	WO 03/080049	10/2/03	PCT				
	B02	WO 03/080048	10/2/03	PCT				
	B03	WO 01/87307	11/22/01	PCT				
	B04	WO 01/87306	11/22/01	PCT				
	B05	WO 01/45702	6/28/01	PCT				
	B06	WO 01/34606	5/17/01	PCT				
	B07	WO 99/06041	2/11/99	PCT				
	B08	WO 97/23457	7/3/97	PCT				t
	B09	WO 97/08143	3/6/97	PCT				
	B10	WO 95/01348	1/12/95	PCT				T
4/	B11	JP 11-286455	10/19/99	Japan				

		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
/T.B./	C01	Beazley et al., 1985, "Malignant stricture at the confluence of the biliary tree: diagnosis and management," Surg. Annu. 17:125-41
/T.B./	C02	Bellamy et al., 2001, "Vascular endothelial cell growth factor is an autocrine promoter of abnormal localized immature myeloid precursors and leukemia progenitor formation in myelodysplastic syndromes," Blood 97:1427-1434
/T.B./	C03	Bennett et al., 1985, "Proposed revised criteria for the classification of acute mycloid leukemia. A report of the French- American-British Cooperative Group," Ann. Intern. Med. 103(4):620-625
/T.B./	C04	Bennett et al., 1982, "Proposals for the classification of the myelodysplastic syndromes," Br. J. Haematol. 51:189-199

C36

ecen	pi date.	Sheet 4 of 7
		Application No.: 10/331,552
- CT - C	C05	Besa, 1992, "Myelodysplastic syndromes (refractory anemia). A perspective of the biologic, clinical, and therapeutic
/T.E	3./	issues," Med. Clin. North Am. 76(3):599-617
	C06	Besa et al., 1990, "Erythroid response of severely anemic or transfusion-dependent patients with myelodysplastic syndrome to recombinant human erythropoietin (EPO) does not correlate with baseline serum EPO levels," Blood
		76(10 Supp. 1):133a Abstract 521
	C07	Bowen et al., 1991, "The treatment of anaemia in the myelodysplastic syndromes with recombinant human erythropoietin," Br. J. Haematol. 77(3):419-423
	C08	Bumm et al., 2003, "Emergences of clonal cytogenic abnormalities in pH- cells in some CML patients in cytogenic remission to imatinib but restoration of polyclonal hematopoiesis in the majority." Blood 101:1941-1949
	C09	Cancer Therapy Evaluation Program, 1998, "Common toxicity criteria," Version 2.0, Bethesda, MD: Division of Cancer Treatment and Diagnosis, National Institutes of Health, March, 1998. (Accessed June 13, 2007, at http://tetp.cancer.gov/reporting/etc.html.)
	C10	Cartensen, 1995, Drug Stability: Principles & Practice, 2nd ed., Marcel Dekker, New York, NY pp. 379-380
	CII	Cheson et al., 2000, "Report of an international working group to standardize response criteria for myelodysplastic syndromes," Blood 96:3671-3674
	C12	myelodysplastic syndromes: evidence for Fas-dependent apoptosis," Blood 99:1594-1601
	C13	analogues that are potent inhibitors of TNF-alpha," J. Immunol. 163:380-386
	C14	
	C15	
	C16	
	C17	Davies et al., 2001, "Thalidomide and immunomodulatory derivatives augment natural killer cell cytotoxicity in multiple myeloma," Blood 98:210-216
	C18	pilot study," Leukemia 16:162-164
	C19	Dexter, 1989, "Haemopoietic growth factors," Br. Med. Bull. 45(2):337-349
	C20	· · · · · · · · · · · · · · · · · · ·
	C21	effects," Br. J. Cancer 87(10):1166-1172
	C22	Ehrenpreis et al., 1999, "Thalidomide therapy for patients with refractory Crohn's disease: an open-label trial,"  Gastroenterology 117(6):1271-1277
- 1	C23	Emens et al., 2001, "Chemotherapy: friend or foe to cancer vaccines?" Curr. Opin. Mol. Ther. 3(1):77-84
	C24	myelodysplastic syndrome," Blood 88(3):1122-1123
	C25	therapy," Blood 101:781
	C29	Goldberg et al., 1990, "Survey of exposure to genotoxic agents in primary myelodysplastic syndrome: correlation with chromosome patterns and data on patients without hematological disease," Cancer Res. 50(21):6876-6881
	C27	Greenberg et al., 1997, "International scoring system for evaluating prognosis in myelodysplastic syndromes," <i>Blood</i> 89(6):2079-2088
	C23	Gupta et al., 2001, "Adherences of multiple myeloma cells to bone marrow stromal cells upregulates vascular endothelial growth factor secretion: therapeutic applications," <i>Leukemia</i> 15:1950-1961
	C29	Handman et al., 1979, "Stimulation by granulocyte-macrophage colony-stimulating factor of Leishmania tropica killing by macrophages," J. Immunol. 122(3):1134-1137
	C30	tissues: report of the Clinical Advisory Committee meeting-Airlie House, Virginia, November 1997," J. Clin. Oncol.
	C31	
	C32	
	C33	76(Supp. 1):279a Abstract 1106  Jaffe et al., eds., 2001, "World Health Organization classification of tumours: pathology and genetics of tumours of
	C34	haematopoietic and lymphoid tissues," Lyon, France: IARC Press pp. 61-74  Kaplan et al., 1958, "Nonparametric estimation from incomplete observations," J. Am. Stat. Assoc. 53:457-481
	C34	Kitagawa et al., 1997, "Overexpression of tumor necrosis factor (TNF)-α and interferon (INF)-γ by bone marrow cells
_	C36	from patients with myelodysplastic syndromes," Leukemia 11:2049-2054 Koch, 1985, "Thalidomide and congeners as anti-inflammatory agents," <i>Prog. Med. Chem.</i> 22:165-242
_		,

Kropff, 2000, Blood 96(11 part 1):168a, Abstract #725

Receipt date: 06/15/2007 10531552 - GAU: 161 Application No.: 10/531,552 Kurland et al., 1979, "Induction of prostaglandin E synthesis in normal and neoplastic macrophages: role for colony-/T.B./ stimulating factor(s) distinct from effects on myeloid progenitor cell proliferation," Proc. Natl. Acad. Sci. USA 76(5):2326-2330 C39 Lentzsch et al., 2003, "Immunomodulatory analogs of thalidomide inhibit growth of Hs Sultan cells and angiogenesis in vivo." Leukemia 17(1):41-44 List et al., 2005, "Efficacy of Lenalidomide in myelodysplastic syndromes," N. Engl. J. Med. 352(6):549-557 C40 List et al., 2004, "Myclodysplastic syndromes," Wintrobe's Clinical Hematology, 11th ed., Philadelphia: Lippincott C41 Williams & Wilkins pp. 2207-2234 List et al., 2004, "Vascular endothelial growth factor receptor-1 and receptor-2 initiate a phosphatidylinositide 3-C42 kinase-dependent clonogenic response in acute myeloid leukemia cells," Exp. Hematol. 32:526-535 List, 2002, "The immunomodulatory thalidomide, CC5013, inhibits trophic response to VEGF in AML cells by C43 abolishing cytokine-induced p13 kinase/akt activation," Blood 100(11):139a, Abstract #521 Maciejewski et al., 2002, "A pilot study of the recombinant soluble human tumour necrosis factor receptor (p75)-Fc C44 fusion protein in patients with myelodysplastic syndrome," Br. J. Haematol. 117:119 McCann, 1999, Drug Topics pp. 41-42 (June 21, 1999) C48 The Merck Manual, 1999, 17th ed., pp. 953-955 C46 Metcalf, 1985, "The granulocyte-macrophage colony-stimulating factors," Science 229(4708):16-22 C47 Moller et al., 1997, "Inhibition of IL-12 production by thalidomide," J. Immunol. 159(10):5157-5161 C48 Moore, 1991, "The clinical use of colony stimulating factors," Ann. Rev. Immunol. 9:159-191 C49 Moore et al., 1980, "Production of lymphocyte-activating factor (Interleukin 1) by macrophages activated with colony-C59 stimulating factors," J. Immunol. 125(3):1302-1305 Moreira et al., 1993, "Thalidomide exerts its inhibitory action on tumor necrosis factor alpha by enhancing mRNA C51 degradation," J. Exp. Med. 177:1675-1680 Muller et al., 1999, "Amino-substituted thalidomide analogs: potent inhibitors of TNF-alpha production," Bioorg. Med. C52 Chem. Lett. 9(11):1625-1630 Munshi et al., 1999, Blood 94, Abstract #2577 C53 C56 Ogawa, 1989, "Hemopoietic stem cells: stochastic differentiation and humoral control of proliferation," Environ. Health Perspect. 80:199-207 Peddie et al., 1997, "Oxidative DNA damage in CD34+ myelodysplastic cells in associated with intracellular redox C59 changes and elevated plasma tumor necrosis factor-o concentration," Br. J. Haematol, 99:625-631 Penichet et al., 2001, "Antibody-cytokine fusion proteins for the therapy of cancer," J. Immunol. Methods. 248(1-2):91-C56 101 C57 Physicians' Desk Reference, 2002, 56the ed. pp. 582-592, 1154-1158, 1755-1760 Rajapaksa et al., 1996, "Altered oncoprotein expression and apoptosis in myelodysplastic syndrome marrow cells.: C58 Blood 88:4275-4287 Raza et al., 2001, "Thalidomide Produces Transfusion Independence in Long-standing Refractory Anemias of Patients C59 with Myelodysplastic Syndromes," Blood 98(4):958-965 Raza et al., 1995, "Apoptosis in bone marrow biopsy samples involving stromal and hematopoietic cells in 50 patients C50 with myelodysplastic syndromes," Blood 86:268-276 Richardson et al., 2002, "Immunmodulatory drug CC-5013 overcomes drug resistance and is well tolerated in patients C61 with relapsed multiple myeloma," Blood 100:3063-3067 Rose et al., 1995, "The use of r-HuEpo in the treatment of anaemia related to myelodysplasia (MDS)," Br. J. C62 Haematol, 89:831-837 Schrader et al., 1981, "The persisting (P) cell: histamine content, regulation by a T cell-derived factor, origin from a bone C63 marrow precursor, and relationship to mast cells," Proc. Natl. Acad. Sci. USA 78(1):323-327 Singhal et al., 1999, "Antitumor activity of thalidomide in refractory multiple myeloma," N. Engl. J. Med. C64 341(21):1565-1571 Stanley et al., 1976, "Factors regulating macrophage production and growth; identity of colony-stimulating factor and C65 macrophage growth factor," J. Exp. Med. 143(3):631-647

C66 Tabbara et al., 1991, "Hematopoietic growth factors," Anticancer Res. 11(1):81-90 Tauro et al., 2002, "Functional disturbance of marrow stromal microenvironment in the myelodysplastic syndromes," C67 Leukemia 16:785-790 Turk et al., 1996, "Binding of thalidomide to alpha l-acid glycoprotein may be involved in its inhibition of tumor C68 necrosis factor alpha production," PNAS USA 93:7552-7556 Vadas et al., 1983, "Eosinophil activation by colony-stimulating factor in man; metabolic effects and analysis by flow C69 cytometry," Blood 61(6):1232-1241 Vadas et al., 1983, "Activation of antibody-dependent cell-mediated cytotoxicity of human neutrophils and eosinophils by C70 separate colony-stimulating factors," J. Immunol. 130(2):795-799 Vasiliauskas et al., 1999, "An open-label pilot study of low-dose thalidomide in chronically active, steroid-dependent C71 Crohn's disease," Gastroenterology 117(6):1278-1287 NYI-3874760v1

		Application No.: 10/531,552
/T.B./	C72	Weisbart et al., 1986, "Biosynthetic human GM-CSF modulates the number and affinity of neutrophil f-Met-Leu-Phe receptors," J. Immunol. 137(11):3584-3587
	C73	Wolff, ed., 1995, Burger's Medicinal Chemistry and Drug Discovery, 5th ed., pp. 172-178, 949-982
$\top$	C74	Marriott et al., 2001, "Immunotherapeutic and antitumour potential of thalidomide analogues," Expert Opin. Biol. Ther.
+	C75	1(4):675-682     Muller et al., 1996, "Structural modifications of thalidomide produce analogs with enhanced tumor necrosis factor
	l	inhibitory activity," J. Med. Chem. 39(17):3238-3240  Hideshima et al. 2000, "Thalidomide and its analogs overcome drug resistance of human multiple myeloma cells to
	C76	conventional therapy," Blood 96(9):2943-2950
	C77	Baker, AF; Bellamy, WT; Glinsmann-Gibson, B; Heaton, R; Buresh, A; Grogan, TM; List, AF; "Biological response to Thalidomide in Remitting Patients with Myelodysplastic Syndrome (MDS) Evidence for Induction of Neoplastic Vascular Endothelial Growth Factor (VEGF) Resistance." Blood 2001; 98(11):353a-4a, Abstract #1495.
	C78	List, AF; "Pharmacological Differentiation and Anti-Apoptic Therapy in Myelodysplastic Syndromes; "Forum Trends in Experimental and Clinical Medicine," 9:35-45,1999.
	C79	List, AF; Brasfield, F.; Heaton, R.; Glinsmann-Gibson, B.; Crook, L.; Taetle, R.; Capizzi, R.; "Stimulation of Hematopoiesis by Amifostine in Paitents with Myelodysplattic Syndrom. Blood 1997; 90(9): 3364-9.
	C80	List, AF; "New Approaches to the Treatment of Myelodysplastia," The ONcologist 2002; 7 Suppl. 1:39-49.
	C81	Thomas, D.A., Aguayo, A., Estey, E., Albitar, M., O'Brien, S., Giles, F.J., Beran, M., Cortes, J., Zeldis, J., Keating, M.J., Barlogie, B., Kantarjian, H.M., Thalidomide as anti-angiogenesis therapy (rx) in refractory or relapsed leukemia. Abstract #2269, American Society of Hematology, December 3-7, 1999.
	C82	Raza, A., Lisak, L., Andrews, C., Little, L., Muzammil, M., Alvi, S., Mazzoran, L., Zorat, F., Akber, A., Ekbal, M., Razvi, S., Venugopal, P., 2010. "Thalidomide produces transfusion independence in patients with long-standing refractory anemias and myelodysplastic syndromes (MDS)."
	C83	Raza, A., Lisak, L., Andrews, C., Little, L., Zorat, F., Shetty, V., Alvi, S., Mundle, S., Allampallam, K., Durandt, M., Ekbal, M., Muzammil, M., Encouraging improvement in cytopenias of patients with myelodysplastic syndromes (MDS) with thaildomide. Abstract #11.1, Amer. Soc. of Clinical Oncology, May 20-23, 2000.
	C84	Raza, A., Lisak, L., Little, L., Dean, L., Gezer, S., Venugopal, V., Summary and future direction of anti-tumor necrosis factor (TNF) therapies in myelodysplastic syndromes (MDS). Abstract #2700, American Society of Hematology, May 12-17, 2001.
	C85	Mundle, S., Zorat, F., Shetty, V., Allampallam, K., Alvi, S., Lisak, L., Little, L., Dean, L., Nascimbon, F., Ekbal, M., Durandt, M., Broderick, E., Venugopal, P., Raza, A., Thalidomide in myelodysplasia. Abstract #626, American Society of Hematology, December 1-5, 2000.
	C86	Raza, A., Lisak, L., Little, L., Ekbal, M., Durandt, M., Ali, E., Nascimben, F., Tareen, M., Venugopal, P., Thalidomide as a single agent or in combination with upotecan, penoxifylline and/or embrel in myelodysplastic syndromes (MDS). Abstract #627, American Society of Hemaology, December 1-5, 2000.
	C87	Estey, E., Albitar, M., Cortes, J., Giles, F., Thomas, D., Koller, C., Beran, M., Kantarjian, H., Addition of thalidomide(T) to chemotherapy did not increase remission rate in poor prognosis AML/MDS. Abstract #1394, American Society of Hematology, December 1-5, 2000.
	C85	Alvi, S., Henderson, B., Shaher, A., Dangerfield, B., Broderick, E., Jafri, N., Tarcen, M., Durandt, M., Galili, N., Borok, R.Z., Raza, A., Determination of clonality in stromal and parenchymal cells pre and post thalidomide treatment in myelodysplasia. Abstract #1536, American Society of Henatology, December 1-5, 2000.
	C84	Alvi, S., Shaher, A., Henderson, B., Dar, S., Zorat, F., Broderick E., Lisak, L., Durandt, M., Reddy, P., Mundle, S., Galilit, N Borok, R.Z., Raza, A., Improved growth of stromal cells in long term bone marrow cultures (LTBMC) of myelodysplastic syndrome (MIS) patients treated with thatidemide. Abstract #1547, American Society of Hernatology, December 1-5, 2500.
	C90	Dourado, C. Mc., Seixas-Silva Ir., J.A., Besa, E.C., Response to thalidomide in 9 patients with myelodysplastic syndromes: A promising treatment for early or post-chemotherapy in late forms of MDS. Abstract #4855, American Society of Hematology, December 1-5, 2000.
	C91	Lisak, L.A., Little, L., Dean, L., Ekbal, M., Durandt, M., Hussain, M., Kaistha, V., Raza, A., Delayed responses to thalidomide in patients with myelodysplastic syndromes. Abstract #4861, American Society of Hematology, December 1-5, 2000.
	C92	Anders, O., Plath, F., Emmrich, J., Freund, M., Complete remission of therapy-resistant angiodysplasia of the stomach in myelodysplastic syndrome following thalidomide. Abstract #3820, American Society of Hematology, December 7-11, 2001
	C93	Alvi, S., Shaher, A., Shaikh, M., Anthwal, S., Siddiqi, F., Akhtar, A., Ashraf, H., Meager, R., Mundle, S., Shetty, V., Goldberg, C., Galili, N., Borok, R.Z., Raza, A., MDS patients with hematological response to thalidomide show enhanced in vitro growth potential. Abstract #1482, American Society of Hematology, December 7-11, 2001.
	C94	Alvi, S., Shaikh, M., Anthwal, S., Shaher, A., Tamoseviciene, D., Novick, A., Reddy, P., Allampallam, K., Hsu, W.T., Galil N., Borok, R.Z., Raza, A., Cytogencie and clonal portile of myelodyplastic syndromes (MDS) patients treated with thaildomide. Abstract #1483, American Society of Hematology, December 7-11, 2001.
$\sqrt{}$	C95	Alvi, S., Anthwal, S., Shaikh, M., Shaher, A., Shetty, V., Mundle, S., Reddy P., Allampallam, K., Bi, S., Zorat, F., Tamosviciene, D., Rasila, K., Meagher, R., Westbrook, C., Galili, N., Gezer, S., Venugopal, P., Borok, R.Z., Raza, A., Thaidodide significantly augments proliferation and cytokine secretion to bone marrow cultures established from myelodysiastic syndrome (MDS) patients. Abstract #1484, American Society of Hematology, December 7-11, 2001.
/T.B./	C96	Musto, P., Falcone, A., Bodenizza, C., Sanpaolo, G., Matera, R., Bisceglia, M., Carella, A.M., Thalidomide (THAL) significantly improves anemia in selected transfusion-dependent patients with myelodysplastic syndromes (MDS):

Receipt date: 06/15/2007 . . . . 10531552 - GAU: 16 Sheet 7 of 7

		Application No.: 10/531,552
/T.B./		relationship to serum and marrow levels of angiogenetic growth factors (AGF). Abstract #2606, American Society of Hematology, December 7-11, 2001.
/T.B./	C97	Fabbri, A., Biscardi, M., Innocenti, F., Balestri, G., Gavazzi, S., Bellesi, G., Grossi, A., Thalidomide in combination with Amifostine in the treatment of MDS: evaluation of clinical and laboratory findings. Abstract #4819, American Society of Hematology, December 7-11, 2001.
	C98	Raza, A., Lisak, L., Dutt, D., Dean, L., Fantroy, L., Ali, E., Gezer, S., Hau, W-T., Goldberg, C., Loew, J., Venugopal, P., Combination of thalidomide with pentoxifylline, ciprofloxacin, and dexamethasone (PCD) in patients with myelodysplastic syndromes (MDS). Abstract #4830, American Society of Hematology, December 7-11, 2001.
	C99	Raza, A., Dutt, D., Lisak, L., Dean, L., Fantroy, L., Gezer, S., Ali, E., Goldberg, C., Loew, J., Hsu, W-T., Venugopal, P., Combination of thalidomide and enbrel for the treatment of patients with myelodysplastic syndromes (MDS). Abstract #4831. American Society of Hematology, December 7-11, 2001.
	C100	Shetry, V., Allampallam, K., Hussaini, S., Townsend, W., Dutt, D., Mundle, S., Alvi, S., Reddy, P.L., Astraf, H., Galiti, N., Saberwal, G.S., Anthwal, S., Shaikh, M.W., Heidelberg, A., Lisak, L., Gezer, S., Venugopal, P., Raza, A., Effects of anti-cytokine agents on apoptosis, proliferation, monocyte/macrophage number, microvessel density and cytokines following two successive clinical trials in 57 patients with myelodysplastic syndromes (MDS). Abstract #4837. American Society of Hematology, December 7-11, 2001.
	C101	Barlogie, B., Desikan, R., Munshi, N., Siegel, D., Mehta, J., Singhal, S., Anaissie, E., Single Course D.T. Pace Anti- Angiochemotherapy Effects CR in Plasma Cell Leukemia and Fulminant Multiple Myeloma (MM). Abstract #4180. American Society of Hematology, December 4-9, 1998.
	C102	Hideshima, T., Chauhan, D., Shima, Y., Noopur, R., Davies, F.E., Tai, Y., Treon, S.P., Lin, B.K., Schlosman, R.L., Richardson, P.G., Gupta, D., Muller, G.W., Stirling, D.I., Anderson, K.C., Thaildome (THAL) and its Analogs Overcome Drug Resistance of Human Multiple Myeloma (MM) Cells to Conventional Therapy. Abstract #1313. American Society of Hematology, December 1-5, 2000.
	C103	Payvaudi, F., Wu, L., Gupta, D., Hideshima, T., Haley, M., Muller, G., Chen, R., Anderson, K.C., Stirling, D., Effects of a Thalidomide Analog on Binding Activity of Transcription Factors and Cell Cycle Progression of Multiple Myeloma Cell Lines. Abstract #2487. American Society of Hematology, December 1-5, 2000.
	C104	Davies, F.E., Raje, N., Hideshima, T., Lentzsch, S., Young, G., Tai, Y., Lin, B.K., Podar, K., Chauhan, D., Treon, S.P., Gupta, D., Mitsiades, C., Mitsiades, N., Hayashi, T., Richardson, P.G., Schlossman, R.L., Muller, G.W., Stirling, D. L., Anderson, K.C., Thalidomide (THAL) and Immunemedulatory Derivatives (IMIDS) Augment Naturel Killer (NK). Cell Cytotocixity in Multiple Myeloma (MM). Abstract #3617. American Society of Hematology, December 1-5, 2000.
	C105	Hideshima, T., Chauhan, D., Castro, A., Hayashi, T., Misiades, C., Mitsiades, N., Akiyama, M., Richardson, P.G., Schlossman, R.L., Adams, J., Anderson, K.C., NF-KB as a Therapeutic Target in Multiple Myeloma (MM). Abstract #1581. American Society of Hematology, December 7-11, 2001.
	C105	Lentsch, S., Rogers, M., Leblanc, R., Birsner, A., Shah, J., Anderson K., D'Amato R., 3-Amino-Phthalimido-Glutarimide (S 3APO) Inhibits Angiogenesis and Growth in Drug Resistant Multiple Myeloma (MM) <i>in vivo</i> . Abstract #1976, American Society of Hematology, December 7-11, 2001.
V	C107	Park, Y., Kim, S.A., Kim, C.J., Chung, J.H., Mechanism of the Effect of Thalidomide on Human Multiple Myeloma Cells. Abstract #2685. American Society of Clinical Oncology, May 12-17, 2001.

/Timothy Betton/ EXAMINER DATE CONSIDERED 07/14/2010

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.